

# ABRASIVES

<b>Abrasives</b> Flap Wheels - Aluminium Oxide, Shaft Mounted Abrasive . . . . .	004
<b>Abrasives</b> Flap Wheelse - Shaft Mounted Abrasive . . . . .	005
<b>Abrasives</b> Flap Wheels - Trial Kits . . . . .	006
<b>Abrasives</b> Abrasive Blocks - Robber . . . . .	006
<b>Abrasives</b> Flap Discs- Zirconium . . . . .	006
<b>Abrasives</b> Flap Discs- Zirconium . . . . .	007
<b>Abrasives</b> Flexicut® - Cut Off Discs. . . . .	008
<b>Abrasives</b> Flexicut® - Mandrels . . . . .	008

# Flap Wheels Aluminium Oxide, Shaft Mounted Abrasive



FLAP WHEELS are ideal for use on a wide range of materials. Ideal for stock removal, deburring, cleaning, blending and finishing.

- Cleaning of weld surfaces
- Removing machine marks and flaws
- Finishing stainless steel vessels
- Removing die lines
- Removing flash from rubber and plastic surfaces
- Paint and rust removal
- Sanding wood

## INDIVIDUALLY CARDED

Item No.	Dia.	Width	Grit	Shank	Pack Qty
GA5020M	50mm	20mm	120 medium	6mm	1
GA5020C	50mm	20mm	80 coarse	6mm	1
GA5020F	50mm	20mm	180 fine	6mm	1
GA6030F	60mm	30mm	180 fine	6mm	1
GA6030M	60mm	30mm	120 medium	6mm	1
GA6030C	60mm	30mm	80 coarse	6mm	1

## MINIATURE FLAP WHEELS

Item No.	Dia.	Thickness	Grit	Shank	Pack Qty
GA1515120	15mm	15mm	120	3mm	10
GA2010080	20mm	10mm	80	6mm	10
GA2010180	20mm	10mm	180	6mm	10
GA2015080	20mm	15mm	80	6mm	10
GA2015120	20mm	15mm	120	6mm	10
GA2015180	20mm	15mm	180	6mm	10
GA2020080	20mm	20mm	80	6mm	10
GA2020120	20mm	20mm	120	6mm	10
GA2020180	20mm	20mm	180	6mm	10
GA2525080	25mm	25mm	80	6mm	10
GA2525120	25mm	25mm	120	6mm	10

## PREMIUM FLAP WHEELS

Item No.	Dia.	Thickness	Grit	Shank	Pack Qty
GA3010L060	30mm	10mm	60	6mm	10
GA3010L080	30mm	10mm	80	6mm	10
GA3010L100	30mm	10mm	100	6mm	10
GA3010L120	30mm	10mm	120	6mm	10
GA3010L150	30mm	10mm	150	6mm	10
GA3010L240	30mm	10mm	240	6mm	10
GA3015L040	30mm	15mm	40	6mm	10
GA3015L060	30mm	15mm	60	6mm	10
GA3015L080	30mm	15mm	80	6mm	10
GA3015L100	30mm	15mm	100	6mm	10
GA3015L120	30mm	15mm	120	6mm	10
GA3015L150	30mm	15mm	150	6mm	10
GA3010060	30mm	10mm	60	3mm	10
GA3010080	30mm	10mm	80	3mm	10
GA3010100	30mm	10mm	100	3mm	10
GA3010120	30mm	10mm	120	3mm	10
GA3010150	30mm	10mm	150	3mm	10
GA3015040	30mm	15mm	40	3mm	10
GA3015060	30mm	15mm	60	3mm	10
GA3015080	30mm	15mm	80	3mm	10

# Flap Wheels Shaft Mounted Abrasive



## PREMIUM FLAP WHEELS CONTINUED

Item No.	Dia.	Thickness	Grit	Shank	Pack Qty
GA3015100	30mm	15mm	100	3mm	10
GA3015120	30mm	15mm	120	3mm	10
GA4010040	40mm	10mm	40	6mm	10
GA4010080	40mm	10mm	80	6mm	10
GA4010100	40mm	10mm	100	6mm	10
GA4010150	40mm	10mm	150	6mm	10
GA4015060	40mm	15mm	60	6mm	10
GA4015080	40mm	15mm	80	6mm	10
GA4015120	40mm	15mm	120	6mm	10
GA4015180	40mm	15mm	180	6mm	10
GA4020040	40mm	20mm	40	6mm	10
GA4020060	40mm	20mm	60	6mm	10
GA4020080	40mm	20mm	80	6mm	10
GA4020100	40mm	20mm	100	6mm	10
GA4020120	40mm	20mm	120	6mm	10
GA4020150	40mm	20mm	150	6mm	10
GA4020180	40mm	20mm	180	6mm	10
GA4025060	40mm	25mm	60	6mm	10
GA4025080	40mm	25mm	80	6mm	10
GA4030080	40mm	30mm	80	6mm	10
GA4030100	40mm	30mm	100	6mm	10
GA4030120	40mm	30mm	120	6mm	10
GA5010080	50mm	10mm	80	6mm	10
GA5010120	50mm	10mm	120	6mm	10
GA5015060	50mm	15mm	60	6mm	10
GA5015080	50mm	15mm	80	6mm	10
GA5015120	50mm	15mm	120	6mm	10
GA5015150	50mm	15mm	150	6mm	10
GA5015240	50mm	15mm	240	6mm	10
GA5020040	50mm	20mm	40	6mm	10
GA5020060	50mm	20mm	60	6mm	10
GA5020080	50mm	20mm	80	6mm	10
GA5020120	50mm	20mm	120	6mm	10
GA5020180	50mm	20mm	180	6mm	10
GA5025040	50mm	25mm	40	6mm	10
GA5025060	50mm	25mm	60	6mm	10
GA5025080	50mm	25mm	80	6mm	10
GA5025100	50mm	25mm	100	6mm	10
GA5025120	50mm	25mm	120	6mm	10
GA5025180	50mm	25mm	180	6mm	10
GA5025240	50mm	25mm	240	6mm	10
GA5025320	50mm	25mm	320	6mm	10
GA5030080	50mm	30mm	80	6mm	10
GA5030120	50mm	30mm	120	6mm	10
GA5040060	50mm	40mm	60	6mm	10
GA5040080	50mm	40mm	80	6mm	10
GA6020080	60mm	20mm	80	6mm	10
GA6025060	60mm	25mm	60	6mm	10
GA6025080	60mm	25mm	80	6mm	10
GA6030060	60mm	30mm	60	6mm	10
GA6030080	60mm	30mm	80	6mm	10
GA6030120	60mm	30mm	120	6mm	10
GA6030240	60mm	30mm	240	6mm	10
GA8030040	80mm	30mm	40	6mm	10
GA8030060	80mm	30mm	60	6mm	10
GA8030080	80mm	30mm	80	6mm	10
GA8030120	80mm	30mm	120	6mm	10
GA8030240	80mm	30mm	240	6mm	10

## Flap Wheels Trial Kits

Item No.	Grit	Size	Colour
GA060B	60 coarse	80x50x20mm	Blue
GA120G	120 medium	80x50x20mm	Grey
GA240B	240 fine	80x50x20mm	Brown

## Abrasive Blocks Rubber

Ideal for removing of bluing of welds, light scratches & corrosion.

Garryflex® Blocks offer a consistent finish throughout the life of the block compared to other abrasive cloths and papers.

Item No.	Grit	Size	Colour
GA060B	60 coarse	80x50x20mm	Blue
GA120G	120 medium	80x50x20mm	Grey
GA240B	240 fine	80x50x20mm	Brown

## Flap Discs Zirconium

Universal disc for use on a wide range of ferrous materials.

- Ideal for use in applications such as weld preparation, weld seam removal, surface blending and edge grinding
- Zirconium Flap disc offers consistent grinding and finishing performance
- Long life compared to resin fibre discs
- Reduced vibration and noise compared to depressed centre grinding discs



### ALUMINIUM BACKED ANGLED FACE - FAZ

Item No.	Disc Dia.	Disc Hole Dia.	Grit	Max RPM	Pack Qty
GA10016060	100mm	16mm	60	15,300	10
GA11522120	115mm	22mm	120	13,300	10

### GLASS FIBRE BACKED ANGLED FACE - FBZ

Item No.	Disc Dia.	Disc Hole Dia.	Grit	Max RPM	Pack Qty
GAF10016040	100mm	16mm	40	15,300	10
GAF10016060	100mm	16mm	60	15,300	10
GAF10016080	100mm	16mm	80	15,300	10
GAF10016120	100mm	16mm	120	15,300	10
GAF11522040	115mm	22mm	40	13,300	10
GAF11522060	115mm	22mm	60	13,300	10
GAF11522080	115mm	22mm	80	13,300	10
GAF11522120	115mm	22mm	120	13,300	10
GAF12722040	125mm	22mm	40	12,000	10
GAF12722060	125mm	22mm	60	12,000	10
GAF12722080	125mm	22mm	80	12,000	10
GAF12722120	125mm	22mm	120	12,000	10
GAF18022040	180mm	22mm	40	8,600	10
GAF18022080	180mm	22mm	80	8,600	10

## ZIRC+ FLAP DISCS - GLASS FIBRE BACKED ANGLED FACE - FBX

- Ideal for use on austenitic stainless steel (300 series)
  - Special grinding aid layer gives fast cutting performance and cooler grinding
- Industry types: Stainless Steel fabricators, Ship building & repair, Offshore & marine, Metal fabrication, Vessel & tanker manufacture.

Item No.	Disc Dia.	Disc Hole Dia.	Grit	Max RPM
GAFBX10016040	100mm	16mm	40	15,300
GAFBX11522040	115mm	22mm	40	13,300
GAFBX11522060	115mm	22mm	60	13,300
GAFBX11522080	115mm	22mm	80	13,300
GAFBX12722060	127mm	22mm	60	12,000
GAFBX12722080	127mm	22mm	80	12,000

## ZIRCONIUM FLEXIDISCS - GLASS FIBRE BACKED - FLXZ

- Ideal disc for blending and finishing on large concave and convex surfaces, contours and profiles
- Industry types: Stainless steel fabricators, Ship building & repair, Offshore & marine, Metal fabrication.

Item No.	Disc Dia.	Disc Hole Dia.	Grit	Max RPM
GAFLZ11522040	115mm	22mm	40	13,300
GAFLZ11522060	115mm	22mm	60	13,300
GAFLZ11522120	115mm	22mm	120	13,300

## ZIRCONIUM JUMBO FLAP DISCS - FIBRE BACKED ANGLE FACE - JBZ

- Contains up to 60% more useable abrasive material.
  - The additional cloth provides a cushioned effect and softer 'feel' giving more control.
- Industry type: Stainless steel fabricators, Ship builders, Metal fabrication, Automotive, Foundries.

Item No.	Disc Dia.	Disc Hole Dia.	Grit	Max RPM
GAJBZ10016080	100mm	16mm	80	15,300
GAJBZ11522060	115mm	22mm	60	13,300
GAJBZ11522080	115mm	22mm	80	13,300


## Flexicut® Cut Off Discs

ABRASIVES | 008

**Garryson®**  
Abrasives, Burrs & Routers

### Aluminium oxide, Reinforced glass fibre

Reinforced with woven fibre glass of the highest tensile strength enabling them to withstand severe peripheral, side and edge stress. Ideal for preparing, cut-off notching and slotting and grinding out defects on a wide range of materials, including ceramics, mild steel, aluminium, titanium and nimonics.



### SAFTEX WHEELS – ALUMINIUM OXIDE GRADE A54Z2K

Item No.	Dia.	Thickness	Centre Hole	Grit	Max RPM
GAS20031	50	0.8	9.5	80	30,500
GAS20062	50	1.6	9.5	54	30,500
GAS20125	50	3.2	9.5	36	30,500
GAS25031	62.5	0.8	9.5	80	24,400
GAS25093	62.5	2.4	9.5	54	24,400
GAS30031	75	0.8	9.5	80	20,300
GAS30062	75	1.6	9.5	54	20,300
GAS30093	75	2.4	9.5	54	20,300
GAS40031	100	0.8	9.5	80	15,280
GAS40062	100	1.6	9.5	54	15,280

## Flexicut® Mandrels

### SAFTEX WHEELS – ALUMINIUM OXIDE GRADE A54Z2K



Item No.	Dia.	Thickness
GAS3814	1/4"	3/8"
GAS3806	6mm	3/8"